|   | Application N . 10/706,089   | Applicant(s)   |  |
|---|--|--|--|
| Notice of Allowability  |  | MITANI ET AL.  |  |
|   | Examiner   | Art Unit   |  |
|   | Weilun Lo  | 3747   |  |
| The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1   | S IS (OR REMAINS) CLOSED in<br>-85) or other appropriate common<br>T RIGHTS. This application is s | n this application. If not included unication will be mailed in due course. THIS |  |
| 1. This communication is responsive to  |  |  |  |
| 2.   The allowed claim(s) is/are 1-7.   |  |  |  |
| 3. The drawings filed on are accepted by the Exam   | niner.   |  |  |
| <ul> <li>4.  Acknowledgment is made of a claim for foreign priority a)  All b)  Some* c)  None of the: <ol> <li>Certified copies of the priority documents in the priority do</li></ol></li></ul> | have been received.<br>have been received in Applicatio  | on No  |  |
| Applicant has THREE MONTHS FROM THE "MAILING DA noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  |  | a reply complying with the requirements  |  |
| 5. A SUBSTITUTE OATH OR DECLARATION must be sum INFORMAL PATENT APPLICATION (PTO-152) which   |  |  |  |
| 6. X CORRECTED DRAWINGS ( as "replacement sheets")  | must be submitted.   |  |  |
| (a) $\square$ including changes required by the Notice of Drafts  |  | v ( PTO-948) attached  |  |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date  | ·  |  |  |
| (b) ☐ including changes required by the attached Exami<br>Paper No./Mail Date   | ner's Amendment / Comment or   | in the Office action of  |  |
| Identifying indicia such as the application number (see 37 Cleach sheet. Replacement sheet(s) should be labeled as such   | FR 1.84(c)) should be written on to the header according to 37 CF                                  | ne drawings in the front (not the back) of R 1.121(d).                           |  |
| DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREME   | eposit of BIOLOGICAL MATI<br>INT FOR THE DEPOSIT OF BIO  | ERIAL must be submitted. Note the DLOGICAL MATERIAL.                             |  |
| Attachment(s)   |  |  |  |
| 1. Notice of References Cited (PTO-892)   | 5.  Notice of In   | formal Patent Application (PTO-152)  |  |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-94  | 48) 6. ☐ Interview S   | ummary (PTO-413),  |  |
| <ul> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 11/13/2003</li> <li>4.  Examiner's Comment Regarding Requirement for Depo of Biological Material</li> </ul>   | SB/08), 7. ⊠ Examiner's sit 8. □ Examiner's  | Mail Date Amendment/Comment Statement of Reasons for Allowance                   |  |
| of biological Material  | 9. ☐ Other   | _•   |  |

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Richard Turner on 1/27/05.

The application has been amended as follows:

- On page 18, line 1, "valve" has been corrected to -- pipe --.
- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figure 3, the legend "Fuel tank empty-space volume 15L" is used twice. One will be corrected to -- Fuel tank empty-space volume 5L --. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Weilun Lo whose telephone number is (571) 272-4847. The examiner can normally be reached on 8:30AM TO 7:00PM M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry Yuen can be reached on (571) 272-4856. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/706,089 Page 3

Art Unit: 3747

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Weilun Lo Primary Examiner

Art Unit 3747